L Number	Hite	Search Text	DB	Time stamp
-		711/6,111,170,154.ccls.	USPAT;	2004/03/05 17:58
	20.5		US-PGPUB; EPO; JPO	2501/05/05 17.50
_	8	flag\$1 same (multidimensional near array\$1)	USPAT; US-PGPUB;	2004/02/24 13:33
-	64	multidimensional near array\$1 same object\$1	EPO; JPO USPAT; US-PGPUB;	2004/02/24 13:33
_	28	flag\$1 and (multidimensional near array\$1 same object\$1)	EPO; JPO USPAT; US-PGPUB;	2004/02/24 13:34
-	161	(flag\$1 and (multidimensional near array\$1 same object\$1)) and optimiz\$4	EPO; JPO USPAT; US-PGPUB; EPO; JPO	2004/02/24 15:08
_	77	((invert\$3 or flip\$4) same (flag\$1 or bit\$1)) same optimiz\$5 same process\$3	USPAT; US-PGPUB; EPO; JPO	2004/02/24 13:56
_	78	(optimizing and process\$3 and array).ab.	USPAT; US-PGPUB; EPO; JPO	2004/02/24 15:10
	1	((optimizing and process\$3 and array).ab.) and (multidimensional near array)	USPAT; US-PGPUB; _EPO; JPO.	2004/02/24 15:12
_	7	(multidimensional near array\$1) and (flag\$1 same optimiz\$5) and object\$1	USPAT; US-PGPUB; EPO; JPO	2004/02/24 15:50
_	1	5900001.pn. and array and optimiz\$5	USPAT; US-PGPUB; EPO; JPO	2004/02/24 15:50
_	29	<pre>((matrix\$2 or grid\$1 or "multidimensional array\$1") near object\$1) and ((flag\$1 or bit\$1) same (optimiz\$6 or maximiz\$5 or through\$1put))</pre>	USPAT; US-PGPUB; EPO; JPO	2004/03/01 10:30
_	0	"multidimensional array\$1"	USPAT; US-PGPUB; EPO; JPO	2004/02/29 16:50
·	79	<pre>(optim\$7 or flag\$1 or bit\$1) and ((multi\$1dimensional near2 array\$1) and Java )</pre>	USPAT; - US-PGPUB; EPO; JPO	-2004/03/01 -10:27 -
-	88	(multi\$1dimensional near2 array\$1) and Java	USPAT; US-PGPUB; EPO; JPO	2004/03/01 09:49
-	8	(optim\$7 same (flag\$1 or bit\$1)) and (multi\$1dimensional near2 array\$1) and Java	USPAT; US-PGPUB; EPO; JPO	2004/03/01 10:27
-	13	((flag\$1 or bit\$1 or indicator\$1) with (optimiz\$6 or maximiz\$5 or through\$1put)) and (array\$1 with (optimiz\$6 or maximiz\$5 or through\$1put)) and 717/151-161.ccls.	USPAT; US-PGPUB; EPO; JPO	2004/03/05 15:13
_	22	(array with memory) and 717/151-161.ccls. and optimiz\$6 and flag\$1	USPAT; US-PGPUB; EPO; JPO	2004/03/05 13:04
-	3	717/151-161.ccls. and (array with memory same flag\$1)	USPAT; US-PGPUB; EPO; JPO	2004/03/05 13:08
-	3641	718/\$.ccls.	USPAT; US-PGPUB; EPO; JPO	2004/03/05 15:15
-	58	(((flag\$1 or bit\$1 or indicator\$1) with (optimiz\$6 or through\$1put)) and (array\$1 with (optimiz\$6 or through\$1put))) and (717/151-161.ccls. or 712/\$.ccls. or 718/\$.ccls.)	USPAT; US-PGPUB; EPO; JPO	2004/03/05 15:54
-	19173	707/\$.ccls.	USPAT; US-PGPUB; EPO; JPO	2004/03/05 15:26

-	70		USPAT;	2004/03/05 15:41
		(optimiz\$6 or through\$1put)) and (array\$1	US-PGPUB;	
		with (optimiz\$6 or through\$1put))) and	EPO; JPO	ŀ
		(717/151-161.ccls. or 712/\$.ccls. or		į
		718/\$.ccls. or 707/\$.ccls.)		
_	35	(flag\$1 or bit\$1 or indicator\$1) with	USPAT;	2004/03/05 15:44
		(optimiz\$6 or through\$1put) with arrays	US-PGPUB;	ļ
		(	EPO; JPO	
_	10	((flag\$1 or bit\$1 or indicator\$1) with	USPAT;	2004/03/05 15:55
1		(optimiz\$6 or through\$1put or speed\$1up or	US-PGPUB;	,,
		reduc\$4) with array\$1) and Java	EPO; JPO	
	423		USPAT;	2004/03/05 15:57
-	423		US-PGPUB;	2004/03/03 13.37
		(optimiz\$6 or through\$1put)) and (array\$1	1	
		with (optimiz\$6 or through\$1put))	EPO; JPO	2004/03/05 17:29
-	209		USPAT;	2004/03/03 17:29
		(optimiz\$6 or through\$1put)) and (array\$1	US-PGPUB;	
		with (optimiz\$6 or through\$1put)) and @ay	EPO; JPO	}
		< "1999"		
-	26	((flag\$1 or bit\$1 or indicator\$1) with	USPAT;	2004/03/05 17:34
		(optimiz\$6 or through\$1put)) and (array\$1	US-PGPUB;	f
		with object\$1 with (optimiz\$6 or	EPO; JPO	
		through\$1put))		
-	1		USPAT;	2004/03/05 17:37
		improv\$5 with speed\$3	US-PGPUB;	
			EPO; JPO	
1	57	(multi\$1dimensional near array) with	USPAT;	2004/03/05 17:45
	1	(improv\$5 or speed\$1)	US-PGPUB;	]
		\p_20170 02 0p30042/	EPO; JPO	
l _	6	(multi\$1dimensional near array) with	USPAT;	2004/03/05 17:48
-	\	(flag\$1 or indicator\$1)	US-PGPUB;	2004/03/03 17.46
		(Trayer or Indicatorer)	1	
	0055	712/6 22/2	EPO; JPO	2004/02/05 12:50
-	9855	712/\$.ccls.	USPAT;	2004/03/05 17:58
			US-PGPUB;	
		<b></b>	EPO; JPO	
-	19954	711/\$.ccls.	USPAT;	2004/03/05 17:58
			US-PGPUB;	l ·
			EPO; JPO	
-	1040	717/151-161.ccls.	USPAT;	2004/03/05 17:59
		· ·	US-PGPUB;	
	l		EPO; JPO	
-	36	((multi\$1dimensional near array) and	USPAT;	2004/03/05 17:59
		(speed adj up)) and (712/\$.ccls. or	US-PGPUB;	
		711/\$.ccls. or 717/151-161.ccls.)	EPO; JPO	
-	169	(multi\$1dimensional near array) and	USPAT;	2004/03/05 18:05
		(access\$3 near time or latency)	US-PGPUB;	
			EPO; JPO	
_	10	(multi\$1dimensional near array) and	USPAT;	2004/03/05 18:10
		(access\$3 near time or latency) and Java	US-PGPUB;	
		(doctory) mode of the one of the other	EPO; JPO	
l _	17	(multi\$1dimensional near array) and	USPAT;	2004/03/05 18:12
	'	(optimiz\$5 adj code)	US-PGPUB;	2004,05,05 10.12
		(obetwiests and cone)	EPO; JPO	
	27	(multicldimensional name arms) and during		2004/03/05 18:13
-	37	(multi\$1dimensional near array) and dummy	USPAT;	2004/03/03 18:13
			US-PGPUB;	
			EPO; JPO	0004/04/05 15 5
-	68	array\$1 same optimiz\$5 same flag\$1	USPAT;	2004/04/30 11:34
			US-PGPUB;	
	1		EPO; JPO;	
			DERWENT	
-	2637	object\$1 near array\$1	USPAT;	2004/05/01 16:01
			US-PGPUB;	
			EPO; JPO	
-	286	(object\$1 near array\$1) and optimization	USPAT;	2004/05/01 16:01
			US-PGPUB;	
			EPO; JPO	
l -	55	((object\$1 near array\$1) and optimization)	USPAT;	2004/05/01 16:02
		and ((717/\$).CCLS.)	US-PGPUB;	
		did (((1/7).0010.)	EPO; JPO	
_	195	((object\$1 near array\$1) and optimization)		2004/05/01 16:02
-	1 193		USPAT;	2004/03/01 10:02
		and (flag or bit\$1 or indicator\$1)	US-PGPUB;	
			EPO; JPO	

		~		
	37	((717/\$).CCLS.) and (((object\$1 near	USPAT;	2004/05/01 16:09
		array\$1) and optimization) and (flag or	US-PGPUB;	]
		bit\$1 or indicator\$1))	EPO; JPO	
-	95	multi\$dimension\$2 near array same object\$1	USPAT;	2004/05/01 16:09
	]		US-PGPUB;	
			EPO; JPO	
-	30	(multi\$dimension\$2 near array same	USPAT;	2004/05/01 16:10
		object\$1) and flag\$1	US-PGPUB;	
	ŀ		EPO; JPO	
-	6	, ,	USPAT;	2004/05/01 16:28
		object\$1) and flag\$1 ) and optimization	US-PGPUB;	
	_		EPO; JPO	
-	2	("5668751").PN.	USPAT;	2004/05/01 16:28
			US-PGPUB;	1
			EPO; JPO;	ĺ
	1 ,,	(	DERWENT	2004/05/01 16:26
-	10	1	USPAT;	2004/05/01 16:36
		loop	US-PGPUB;	
			EPO; JPO; DERWENT	
_	17	(array same optimization same flag\$3) and	USPAT;	2004/05/01 17:10
_	'	loop	US-PGPUB;	2004/03/01 17:10
		100p	EPO; JPO;	
			DERWENT	
_	6301	(\$3determin\$4 or indicat\$3 or flag) same	USPAT;	2004/05/01 17:19
	0501	array\$1 same memory same ("not" or out)	US-PGPUB;	2004/03/01 17:13
	İ	drayer same memory same ( not or out)	EPO; JPO;	
			DERWENT	
_	6307	717/\$.ccls.	USPAT;	2004/05/01 17:14
			US-PGPUB;	
			EPO; JPO	
_	18719	710/\$.ccls.	USPAT;	2004/05/01 17:14
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	
-	20580	711/\$.ccls.	USPAT;	2004/05/01 17:16
			US-PGPUB;	
			EPO; JPO;	
			DERWENT	-
-	4	(((outleann)	USPAT;	2004/05/01 17:18
		array\$1 same memory same ("not" or out))	US-PGPUB;	
		and 717/\$.ccls. and 711/\$.ccls.	EPO; JPO;	
	3.0	(\$3datammin\$4 an indicat\$3 are \$1aa\ area	DERWENT	2004/05/01 17 10
_	26	' '	USPAT;	2004/05/01 17:19
		array\$1 same memory same allocate same ("not" or out)	US-PGPUB;	
		\ not of out)	EPO; JPO; DERWENT	
_	140	(\$3determin\$4 or indicat\$3 or flag) same	USPAT;	2004/05/01 17:20
	140	array\$1 same memory same allocate\$1 same	US-PGPUB;	2003/00/01 17.20
		("not" or out)	EPO; JPO;	
		\	DERWENT	
_	95	(indicat\$3 or flag) same array\$1 same	USPAT;	2004/05/01 17:20
		memory same allocate\$1 same ("not" or out)	US-PGPUB;	
			EPO; JPO;	
			DERWENT	
_	32	((indicat\$3 or flag) same array\$1 same	USPAT;	2004/05/01 17:20
	_	memory same allocate\$1 same ("not" or	US-PGPUB;	
		out)) and (717/\$.ccls. or 710/\$.ccls. or	EPO; JPO;	
	]	711/\$.ccls.)	DERWENT	